




Hercules & Pegasus Maintenance


Annual Maintenance

(every year)




- Spokes, wings and tower cleaning
- Spokes and wings visual check
- Cleaning and visual check of our Electric Panel
- Hydraulic system check
- Bolts and screws tightening check

Employees



Duration



Vehicles



Three Years Maintenance

(every 3 years)



- All the operations listed in "ANNUAL MAINTENANCE"
- UPS and possibly anemometer replacement
- Spokes anti-aging treatment: on-site application of anti-UV paint
- Wings anti-aging treatment: on-site application of anti-UV paint

* If necessary, re-generation of the wooden wings of Hercules in ENESSERE site.

Employees



Duration



Vehicles




Six Years or 27.000 Rotation Hours Maintenance



- All the operations listed in "ANNUAL MAINTENANCE"
- All the operations listed in "3 YEARS MAINTENANCE"
- Rotor, brake, bearings overhaul.
- Hydraulic system overhaul

* If necessary, re-generation of the wings and carbon fiber spokes in ENESSERE site.


Employees




Duration



Vehicles




Wheeled crane



- 6÷11T bearing capacity with 15 m outreach
- Lifting of the load at a height of 15 m, with the same height of upper tower connection level and level of stabilization of the crane

Mobile elevating work platform (PLE)



- Minimum basket size 1,40x0,70 m
- Working height 16 ÷ 23 m